


BIO - MEDICAL WASTE
AGREEMENT

TUVQ9102.jpg

| | | |
|---|---|--|
|  Consent For Operation (CEO-Air,Water) Consent No. AWH-301633 Valid upto: 30/08/2021 | Karnataka State Pollution Control Board Patilara Bhavana, No.49, Church Street, Bengaluru-560001 Tele : 080-25589112/3, 25581383 Fax: 080-25586121 email id: kspcb@gov.in | |
| | Industry Colour: RED Industry Scale: LARGE | |
| (This document contains 5 pages including annexure & excluding additional conditions) | | |

Combined Consent Order No. AWH-301633 PCB ID: 18919 Date: 15/12/2016

Combined consent for discharge of effluents under the Water (Prevention and Control of Pollution) Act, 1974 and emission under the Air (Prevention and Control of Pollution) Act, 1981

- Ref: 1. Application filed by the applicant/organization on 02/05/2016
 2. Inspection of the Industry/organization by RO, on 02/05/2016
 3. Proceedings of the CCM dated 21/06/2016 held on 21/06/2016

Consent is hereby granted to the Occupier under Section 25(4) of the Water (Prevention & Control of Pollution) Act, 1974 (herein referred to as the Water Act) & Section 21 of Air (Prevention & Control of Pollution) Act, 1981, (herein referred to as the Air Act) and the Rules and Orders made there under and authorized the Occupier to operate/carryout industry/activity & to make discharge of the effluents & emissions conforming to the stipulated standards from the premises mentioned below and subject to the terms and conditions as detailed in the Schedule Annexed to this order.

Location:

Name of the Industry: Father Mullers Hospital
 Address: Father Mullers Road, Kankanady
 Industrial Area: Not in I.A. Mangalore,
 Taluk: Mangalore, District: Dakshina Kannada

Conditions:

a) Discharge of effluents under the Water Act:

| Sr | Water Code | WC(KLD) | WWC(KLD) | Remark |
|----|------------------|---------|----------|--|
| 1 | Domestic Purpose | 749.780 | 599.849 | Treated water used to Flushing, pertaining Excess to UGD. |
| 2 | Others | 18.000 | 18.000 | Liquid waste is treated in Disinfection unit then disposal to UGD. |

b) Discharge of Air emissions under the Air Act from the following stacks etc.


Sl. No. Description of chimney/outlet Limits specified refer schedule
 The details of Sources, control equipments and its specification, type of fuel, constituents to be controlled in emissions etc. are detailed in Annexure-II.

The consent for operation is granted considering the following activities/Products;

| Sr | Product Name | Applied Qty/Month | Unit |
|----|-----------------------------------|-------------------|------|
| 1 | Operation of 1250 bedded hospital | 1.0000 | NOS |

This consent is valid for the period from 01/07/2016 to 30/08/2021

For and on behalf of the
Karnataka State Pollution Control Board



RAMESH A

To,
Father Mullers Hospital
Mangalore



UTTAR PRADESH POLLUTION CONTROL BOARD
TC-12V, VIBHUTI KHAND, GOMTI NAGAR, LUCKNOW

To,

F97382/C-1/22-Mustafa-763/17/28 01-3-17

M/s Hind Recycling Pvt. Ltd.,
Plot No. F-203, M.G. Road,
Industrial Area,
Hapur.

Subject : Authorisation for E-Waste Collection, Dismantling and Segregation under E-Waste (Management & Handling) Rules, 2016 of MOEF, Govt. of India.

Sir,

Please refer your application for Authorisation of E-Waste Collection, Dismantling and Segregation under E-Waste (Management & Handling) Rules, 2016 of MOEF, Govt. of India. You are hereby issued Authorisation as follow:

| | |
|------------------------------------|---|
| Authorisation | 02 /C-1/E-waste Regn.Gh-763/17 |
| Date of issue of Authorisation | |
| Name and Address | <u>M/s Hind Recycling Pvt.Ltd.</u> Plot No. F-201, M.G. Road, Industrial Area, Hapur. |
| Item & Quantity (MT/YR) of E-Waste | Electrical & Electronic waste-9000 MT/Year |
| Validity | 05 Year from the date of issue |

Authorisation for E-Waste Collection, Dismantling and Segregation is subject to conditions stated below and such condition as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986 :-

1. The Authorisation shall comply with provisions of Environment (Protection) Act, 1986.
2. The Industry will comply with provisions of section-13(3)(i) and 13 (3) (vi) of E-Waste Dismantler or under E-Waste (Management & Handling) Rules, 2016.
3. The Industry will apply for renewal authorization u/s-13(3) of E-Waste (Management) Rules, 2016 before 120 days of its expiry.
4. The Dismantler and Recycler shall maintain records of the E-waste purchased, processed in Form-2 and shall file annual returns of its activities of previous year in Form-3 to the U.P. Pollution Control Board on or before 30th day of June of every year.
5. The applicant will ensure that emission/effluent/hazardous waste if any are treated as per law by the Industry and disposed as per the prescribed norms. The applicant should have Air, Water Consent under Air (Prevention and Control of Pollution) Act, 1981 (as amended) and Water (Prevention and Control of Pollution) Act, 1974, (as amended) respectively and Hazardous Authorisation under Hazardous and Other Wastes (Management and Transboundary Movement) Rule, 2016 if applicable of authorization.
6. Industry will ensure that no damage is caused to the Environment during storage and transportation of E-Waste.
7. Industry will ensure that dismantling process do not have any adverse effect on the health and environment.
8. Industry will ensure that dismantled E-Waste is segregated and sent to the registered recycling facilities for recovery of materials.

(S.C. Yadav)
Member Secretary

Copy to : Regional Officer, U.P. Pollution Control Board, Ghaziabad for information and necessary action.

Chief Environmental Officer(Circle-1)